



2021

Quick Demo Program

Claim immediately your Demo Products and skip the Request Form Process

HOW IT WORKS

The Quick Demo process is available to all Resellers and Distributors registered in Europe and authorized to sell Honeywell products in Europe.

The Quick Demo process is available only to Silver Tiered Partners or Resellers not members of the PPP Program.

The Quick Demo process is available on purchases of the Qualifying Products, which are sold between February 1 and June 30, 2021.

The Quick Demo process is valid for one (1) unit per product family for 3 months for each Reseller, along with one (1) corresponding accessory. Should a Reseller require more than the allowed quantity of products they should contact their Honeywell Channel Account Manager to discuss the requirement.

Resellers can purchase at 70% discount (52% Discount for RT10 hardware) from Authorized Honeywell Distributors and the Demo Discount will be provided at the point of purchase.

The Distributors will be asked to provide a basic set of data related to the Resellers, in case they are not already a member of the PPP program.

The decisions of Honeywell in respect of any and all aspects of this offer will be final and binding.

Honeywell reserves the right to amend or cancel the terms of this offer at any time without prior notice.

Terms and Conditions

- In the first months from the NPI launch date, the Distributors can sell to Resellers Demo units at 70% discount (52% Discount for RT10 hardware), without submitting a Demo Product Request.
- The Distributors will be provided with a specific code, unique to each Line of Business.
- Distributors and eligible Resellers can add on the order any accessory from the eligible product families, as per regular Demo Process

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.

Honeywell

LOB	Promo Code	Product Family	SKU	SKU description
Scanning	Quick Demo - Scan	8680i Wearable Mini Mobile (Advanced)	8680I202-2	Wearable Mini Mobile Advanced (EU) 1D, 2D, WiFi and interface customization (8680i). Includes extended battery, triggered ring and strap attachments. Charger sold separately and required for use.
			8680I200-2	Wearable Mini Mobile Standard, 1D, 2D (8680i). Includes extended battery, triggered ring and strap attachments. Charger sold separately and required for use.
			8680I300-2	Wearable Mini Mobile Standard, 1D, 2D (8680i). Includes glove mount attachment. Battery, gloves and charger sold separately and required for use.
		Granit™ XP 199Xi SR	1990ISR-3-R	Scanner: Tethered. Ultra rugged/industrial. 1D, PDF417, 2D, SR focus, with vibration. Red Scanner. Compatible with RS232/USB/KBW cables (not included). Assembled in China.
			1990ISR-3USB-R	USB Kit: Tethered. Ultra rugged/industrial. 1D, PDF417, 2D, SR focus, with vibration. Red scanner (1990iSR-3), USB Type A 3m straight cable (CBL-500-300-S00). Assembled in China.
			1991ISR-3-R	Scanner: Wireless. Ultra rugged/industrial. 1D, PDF417, 2D, SR focus, with vibration. Red scanner, smart battery (BAT-SCN05). Bluetooth Class 1.
			1991ISR-3USB-5-R	USB Kit: Wireless. Ultra rugged/industrial. 1D, PDF417, 2D, SR focus, with vibration. Red scanner (1991iSR-3), smart battery (BAT-SCN05), charge & communication base (CCB22-100BT-03N) USB Type A 3m straight, 5v host power cable (CBL-500-300-S00).
		Granit™ XP 199Xi XR	1990IXR-3-R	Scanner: Tethered. Ultra rugged/industrial. 1D, PDF417, 2D, XR (FlexRange™) focus, with

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
				vibration. Red Scanner. Compatible with RS232/USB/KBW cables (not included). Assembled in China.
			1990IXR-3SER-R	RS232 Kit: Tethered. Ultra rugged/industrial. 1D, PDF417, 2D, XR (FlexRange™) focus, with vibration. Red scanner (1990iXR-3), RS232, 5V, DB9 Female, Coiled, 3m cable (CBL-020-300-C00). Assembled in China.
			1990IXR-3USB-R	USB Kit: Tethered. Ultra rugged/industrial. 1D, PDF417, 2D, XR (FlexRange™) focus, with vibration. Red scanner (1990iXR-3), USB Type A 3m straight cable (CBL-500-300-S00). Assembled in China.
			1991IXR-3-R	Scanner: Wireless. Ultra rugged/industrial. 1D, PDF417, 2D, XR (FlexRange™) focus, with vibration. Red scanner, smart battery (BAT-SCN05). Bluetooth Class 1.
			1991IXR-3SER-5-R	RS232 Kit: Wireless. Ultra rugged/industrial. 1D, PDF417, 2D, XR (FlexRange™) focus, with vib. Red scanner (1991iXR-3), smart battery (BAT-SCN05), charge & comm. base (CCB22-100BT-03N), RS232 Cable, DB9, Female, coiled, 3m, 5v Signal (CBL-020-300-C00).
			1991IXR-3USB-5-R	USB Kit: Wireless. Ultra rugged/ind. 1D, PDF417, 2D, XR (FlexRange™) focus, with vibration. Red scanner (1991iXR-3), smart battery (BAT-SCN05), charge & communication base (CCB22-100BT-03N) USB Type A 3m straight, 5v host power cable (CBL-500-300-S00).
		Orbit 7190g	7190G-0USBX-0	USB Kit: 1D, PDF, 2D, White Scanner (7190g-0), USB Type A 3m (9.8') straight cable (CBL-500-300-S00-07)

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description	
			7190G-2USBX-0	USB Kit: 1D, PDF, 2D, Black Scanner (7190g-2), USB Type A 3m (9.8') straight cable (CBL-500-300-S00-07)	
		Orbit HF680 Hands-free Area Imaging Scanner	HF680-R0-1RS232-EU	Serial Kit: 1D, PDF, 2D, white presentation scanner; 1.5m RS232 host cable, EU plug	
			HF680-R0-1RS232-UK	Serial kit: 1D, PDF, 2D, white presentation scanner; 1.5m RS232 host cable, UK plug, 50130785-001 AC plug, level VI 5.2V1A PS, UK	
			HF680-R0-2RS232-EU	Serial kit:1D, PDF, 2D, white presentation scanner; 2.7m RS232 host cable, EU plug	
			HF680-R0-2RS232-UK	Serial kit: 1D, PDF, 2D, white presentation scanner; 2.7m RS232 host cable, UK plug, 50130785-001 AC plug, level VI 5.2V1A PS, UK	
			HF680-R1-1RS232-UK	Serial kit: 1D, PDF, 2D, black presentation scanner; 1.5m RS232 host cable, UK plug, 50130785-001 AC plug, level VI 5.2V1A PS, UK	
			HF680-R1-1USB	USB kit: 1D, PDF, 2D, black presentation scanner, 1.5m USB host cable	
			HF680-R1-2RS232-UK	Serial kit: 1D, PDF, 2D, black presentation scanner; 2.7m RS232 host cable, UK plug, 50130785-001AC plug, level VI 5.2V1A PS, UK	
			HF680-R1-2USB	USB kit: 1D, PDF, 2D, black presentation scanner, 2.7m USB host cable	
			Solaris™ 7980g	7980G-2SERC-0	RS232 Kit: 1D, PDF, 2D, RS232 3m (9.8') cable (CBL-000-300-S00), EU power supply (PS-05-1000W-C)
				7980G-2USBC-0	USB Kit: 1D, PDF, 2D, USB Type A 3m (9.8') straight cable (CBL-500-300-S00-04), EU power supply (PS-05-1000W-C)
		7980G-2USBX-0		USB Kit: 1D, PDF, 2D, USB Type A 3m (9.8') straight cable (CBL-500-300-S00-04)	
		Voyager XP 147XG	1470G2D-2-R	EMEA Scanner Only: Omni-directional, 1D, PDF, 2D, black, RS232/USB/KBW/IBM	

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			1470G2D-2USB-1-R	EMEA USB kit: Omni-directional, 1D, PDF, 2D, black scanner (1470g2D-2), flexible presentation stand (STND-15F03-009-6), USB Type A 1.5m straight cable (CBL-500-150-S00)
			1470G2D-2USB-R	EMEA USB Kit: Omni-directional, 1D, PDF, 2D, black scanner (1470g2D-2), USB Type A 1.5m straight cable (CBL-500-150-S00)
			1470G2D-6-R	EMEA Scanner Only: Omni-directional, 1D, PDF, 2D, Black, Disinfectant Ready, RS232/USB/KBW/IBM
			1470G2D-6USB-1-R	EMEA USB kit: Omni-directional, 1D, PDF, 2D, black scanner (1470g2D-6), Disinfectant Ready, flexible presentation stand (STND-15F03-009-6), USB Type A 1.5m straight cable (CBL-500-150-S00)
			1472G1D-1	GLOBAL SCN ONLY 1472G 1D, WHITE, CRDLESS
			1472G1D-2	Scanner Only: Omni-directional, 1D, PDF, 2D, black scanner (1470g2D-2).
			1472G1D-2USB-5-R	EMEA&ANZ USB Kit: Omni-directional, 1D, upgradable, black scanner (1472g1D-2), charge & communication base (CCB01-010BT-V1N), USB Type A 3.0m straight cable (CBL-500-300-S00)
			1472G2D-2USB-5-R	EMEA&ANZ USB Kit: Omni-directional, 1D, PDF,2D, black scanner (1472g2D-2),charge & communication base (CCB01-010BT-V1N), USB Type A 3.0m straight cable (CBL-500-300-S00)
			1472G2D-6USB-5-R	EMEA USB Kit: Omni-directional, 1D, PDF,2D, black scanner (1472g2D-6), Disinfectant Ready, charge & communication base (CCB01-010BT-V1N), USB Type A 3.0m straight cable (CBL-500-300-S00)
		Voyager® 14XXg	1400G2D-2USB	USB Kit: Omni-directional 1D, PDF417, 2D, black, USB Type A

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
				1.5m straight cable (CBL-500-150-S00)
			1400G2D-2USB-1	USB Kit: Omni-directional 1D, PDF417, 2D, black, rigid presentation stand (STND-19R02-002-4), USB Type A 1.5m straight cable (CBL-500-150-S00)
			1400G2D-5USB-1	USB Kit: Omni-directional 1D, PDF417, 2D, white, white rigid presentation stand, white USB Type A 1.5m straight cable
		Xenon XP 1950g Corded General Duty	1950GHD-2USB-R	1950g USB Kit: General Purpose, 1D, PDF417, 2D, HD focus, Black, USB Type A 3m straight cable (CBL-500-300-S00), ROW Only
			1950GSR-2-2-R	1950g Ratchet Scanner Only: General Purpose, 1D, PDF417, 2D, SR focus, Black, ROW Only
			1950GSR-2-R	1950g Scanner Only: General Purpose, 1D, PDF417, 2D, SR focus, Black, ROW Only
			1950GSR-2USB-2-R	1950g Ratchet USB Kit: General Purpose, 1D, PDF417, 2D, SR focus, Black, USB Type A 3m straight cable (CBL-500-300-S00), ROW Only
			1950GSR-2USB-R	1950g USB Kit: General Purpose, 1D, PDF417, 2D, SR focus, Black, USB Type A 3m straight cable (CBL-500-300-S00), ROW Only
			1950GSR-6-R	1950g Scanner Only: General Purpose, 1D, PDF417, 2D, SR focus, Black, Disinfectant Ready, ROW Only
			1950GSR-6USB-2-R	1950g Ratchet USB Kit: General Purpose, 1D, PDF417, 2D, SR focus, Black, Disinfectant Ready, USB Type A 3m straight cable (CBL-500-300-S00), ROW Only
			1950GSR-6USB-R	1950g USB Kit: General Purpose, 1D, PDF417, 2D, SR focus, Black, Disinfectant Ready, USB Type A 3m straight cable (CBL-500-300-S00), ROW Only
			1950GUD-2USB-R	1950g USB Kit: General Purpose, 1D, PDF417, 2D, Ultra HD focus,

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
				Black, USB Type A 3m straight cable (CBL-500-300-S00), ROW Only
		Xenon XP 1950h Corded Healthcare	1950HHD-5USB-R	1950h USB Kit: Healthcare, 1D, PDF417, 2D, HD focus, White Disinfectant-ready housing, USB Type A 3m straight cable (CBL-500-300-S00), Vibration, ROW Only
			1950HSR-5USB-R	1950h USB Kit: Healthcare, 1D, PDF417, 2D, SR focus, White Disinfectant-ready housing, USB Type A 3m straight cable (CBL-500-300-S00), Vibration, ROW Only
Printi ng	Quick Demo - Print	PX4ie Direct Thermal & Thermal Transfer Printer	PX4E01000000 0120	PX4E, Ethernet, 256 MB, Real Time Clock, TT, 203dpi, Universal Firmware
			PX4E01000000 0130	PX4E, Ethernet, 256 MB, Real Time Clock, TT, 300dpi, Universal Firmware
			PX4E01000000 0140	PX4E, Ethernet, 256 MB, Real Time Clock, TT, 400dpi, Universal Firmware
			PX4E01000000 3120	PX4E, Ethernet, Cutter, Real time clock, Thermal Transfer, 203dpi
			PX4E01000000 3130	PX4E, Ethernet, 256 MB, CUTTER ,Real Time Clock, TT, 300dpi, Universal Firmware
			PX4E01000000 5120	PX4E, Ethernet, 256 MB, Label Taken Sensor +Self Strip, Real Time Clock, TT, 203dpi, Universal Firmware
			PX4E01000000 5130	PX4E, Ethernet, 256 MB, Label Taken Sensor+Self Strip, Real Time Clock, TT, 300dpi, Universal Firmware
			PX4E01000000 5140	PX4E, Ethernet, 256 MB, Label Taken Sensor +Self Strip, Real Time Clock, TT, 400dpi, Universal Firmware
			PX4E01020000 0120	PX4E, Ethernet, 256 MB, UHF RFID EU, Real Time Clock, TT, 203dpi, Universal Firmware
			PX4E01020000 0130	PX4E, Ethernet, 256 MB, UHF RFID EU, Real Time Clock, TT, 300dpi, Universal Firmware

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			PX4E01100000 0120	PX4E, Ethernet, 256 MB, Parallel, Real Time Clock, TT, 203dpi, Universal Firmware
			PX4E01100000 0140	PX4E, Ethernet, 256 MB, Parallel, Real Time Clock, TT, 400dpi, Universal Firmware
			PX4E01100000 5120	PX4E, Ethernet, 256 MB, Parallel, Label Taken Sensor+Self Strip, Real Time Clock, TT, 203dpi, Universal Firmware
			PX4E01100000 5140	PX4E, Ethernet, Parallel Interface, Label taken sensor+Rewind, Real time clock, Thermal Transfer, 400dpi
			PX4E03000000 0120	PX4E, Ethernet, 256 MB, WI-FI ROW, Real Time Clock, TT, 203dpi, Universal Firmware
			PX4E03000000 3120	PX4E, Ethernet, 256 MB, WI-FI ROW, CUTTER, Real Time Clock, TT, 203dpi, Universal Firmware
			PX4E03000000 5120	PX4E, Ethernet, 256 MB, WI-FI ROW, Label Taken Sensor+Self Strip, Real Time Clock, TT, 203dpi, Universal Firmware
		PX6ie Direct Thermal & Thermal Transfer Printer	PX6E01000000 0120	PX6E, Ethernet, 256 MB, Real Time Clock, TT, 203dpi, Universal Firmware
			PX6E01000000 0130	PX6E, Ethernet, 256 MB, Real Time Clock, TT, 300dpi, Universal Firmware
			PX6E01000000 1120	PX6E, Ethernet, 256 MB, Label Taken Sensor, Real Time Clock, TT, 203dpi, Universal Firmware
			PX6E01000000 1130	PX6E, Ethernet, Label Taken Sensor, Real Time Clock, TT, 300dpi, Universal Firmware
			PX6E01000000 3130	PX6E, Ethernet, 256 MB, CUTTER, Real Time Clock, TT, 300dpi, Universal Firmware
			PX6E01020000 0120	PX6E, Ethernet, 256 MB, UHF RFID EU, Real Time Clock, TT, 203dpi, Universal Firmware
			PX6E01020000 0130	PX6E, Ethernet, 256 MB, UHF RFID EU, Real Time Clock, TT, 300dpi, Universal Firmware

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			PX6E01100000 0120	PX6E, Ethernet, 256 MB, Parallel, Real Time Clock, TT, 203dpi, Universal Firmware
			PX6E01100000 0130	PX6E, Ethernet, 256 MB, Parallel, Real Time Clock, TT, 300dpi, Universal Firmware
			PX6E03000000 0120	PX6E, Ethernet, 256 MB, WI-FI ROW, Real Time Clock, TT, 203dpi, Universal Firmware
			PX6E03000000 1120	PX6E, Ethernet, WI-FI ROW, Internal Re-winder, Self Strip, Label Taken Sensor ,Real Time Clock, TT, 203dpi, Universal Firmware
			PX6E03000000 3120	PX6E, Ethernet, WI-FI ROW, CUTTER, Real Time Clock, TT, 203dpi, Universal Printer
		PX940 Integrated Label Verification	PX940A001000 00200	Without Verifier, Full Touch Display, Universal firmware, Ethernet, USB, Serial, Low Power Bluetooth, Ribbon Ink IN/OUT, Media Core 3 inch, Direct Thermal and Thermal Transfer, 203DPI, No power cord
			PX940A001000 00300	Without Verifier, Full Touch Display, Universal firmware, Ethernet, USB, Serial, Low Power Bluetooth, Ribbon Ink IN/OUT, Media Core 3 inch, Direct Thermal and Thermal Transfer, 300DPI, No power cord
			PX940V301000 00200	Verifier with Perpetual license, Full Touch Display, Universal firmware, Ethernet, USB, Serial, Low Power Bluetooth, Ribbon Ink IN/OUT, Media Core 3 inch, Direct Thermal and Thermal Transfer, 203DPI, No power cord
			PX940V301000 00300	Verifier with Perpetual license, Full Touch Display, Universal firmware, Ethernet, USB, Serial, Low Power Bluetooth, Ribbon Ink IN/OUT, Media Core 3 inch, Direct Thermal and Thermal Transfer, 300DPI, No power cord

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description		
			PX940V301000 60200	'Verifier with Perpetual license, Full Touch Display, Universal firmware, Ethernet, USB, Serial, Low Power Bluetooth, Ribbon Ink IN/OUT, Internal Rewinder, Peel off, Label Taken Sensor, Media Core 3 inch, Direct Thermal and Thermal Transfer, 203DPI, No PC		
			PX940V301000 60300	Verifier with Perpetual license, Full Touch Display, Universal firmware, Ethernet, USB, Serial, Low Power Bluetooth, Ribbon Ink IN/OUT, Internal Rewinder, Peel off, Label Taken Sensor, Media Core 3 inch, Direct Thermal and Thermal Transfer, 300DPI, N		
			PX940V301000 60600	'Verifier with Perpetual license, Full Touch Display, Universal firmware, Ethernet, USB, Serial, Low Power Bluetooth, Ribbon Ink IN/OUT, Internal Rewinder, Peel off, Label Taken Sensor, Media Core 3 inch, Direct Thermal and Thermal Transfer, 600DPI, No PC		
		PC43K		PC43KA003010 002	PC43KIOSK, ICON300, WL 2/32 ET, EU PC	
				PC43KA003020 000	PC43KIOSK, ICON300, WL 2/32 ROW, No PC	
		RP2 2 Inch Rugged Mobile Printer		RP2A0000C3D	RP2 DRH (Desinfectant Ready Housing) USB NFC Bluetooth 4.0 LE & WLAN 802.11a/b/g/n/ac. Battery included. Need to order power supply separately; i.e. 220516-100 for Europe	
				RP2A0001B0D	RP2 Linerless DRH (Desinfectant Ready Housing) USB NFC Bluetooth 4.0 LE Battery included. Need to order power supply separately; i.e. 220516-100 for Europe	
				Three Inch Mobile Direct Thermal Receipt Printer	MPD31D111	3" inch mobile label/receipt printer, EU AC
				RT10 Android Tablet	RT10A-L1N-17C12E1E	RT10A,WWAN,OUT,6703,CAM,EXT ,GMS,SCP,WM
		Mobility	Quick Demo - Mobility			RT10A-L0N-17C12S0E

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
				Std Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Android GMS / DCP / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-LON-18C12E0E	RT10A Android 10in Tablet / WLAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Extended Battery / Power Supply (order power cord separately) / Android GMS / DCP / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-LON-18C12S0E	RT10A Android 10in Tablet / WLAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Android GMS / DCP / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-LON-18C22S0E	RT10A Android 10in Tablet / WLAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / No GMS / DCP (Device Client Pack) / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-L1N-17C12S0E	RT10A Android 10in Tablet / WWAN / Standard/Indoor Screen / 6703SR Std Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Android GMS / DCP / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-L1N-17C12S1E	RT10A Android 10in Tablet / WWAN / Outdoor Screen / 6703SR Std Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Android GMS / DCP (Device Client Pack) /

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
				802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-L1N-18C12E0E	RT10A Android 10in Tablet / WWAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Extended Battery / Power Supply (order power cord separately) / Android GMS / DCP / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-L1N-18C12E1E	RT10A Android 10in Tablet / WWAN / Outdoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Extended Battery / Power Supply (order power cord separately) / Android GMS / DCP (Device Client Pack) / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-L1N-18C12S0E	RT10A Android 10in Tablet / WWAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Android GMS / DCP / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-L1N-18C12S1E	RT10A Android 10in Tablet / WWAN / Outdoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Android GMS / DCP (Device Client Pack) / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10A-L1N-18C22S0E	RT10A Android 10in Tablet / WWAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / No GMS / DCP (Device Client Pack) / 802.11abgn,ac / Bluetooth / Worldwide Mode

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
		RT10 Windows Tablet	RT10W-L00-17C12E0E	'RT10W Windows 10in Tablet / 8GB/128GB / WLAN / Standard/Indoor Screen / 6703SR Std Range Imager / Front & Rear Cameras / Extended Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L00-17C12S0E	RT10W Windows 10in Tablet / 8GB/128GB / WLAN / Standard/Indoor Screen / 6703SR Std Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L00-18C12E0E	RT10W Windows 10in Tablet / 8GB/128GB / WLAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Extended Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L00-18C12S0E	RT10W Windows 10in Tablet / 8GB/128GB / WLAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L10-17C12E0E	'RT10W Windows 10in Tablet / 8GB/128GB / WWAN / Standard/Indoor Screen / 6703SR Std Range Imager / Front & Rear Cameras / Extended Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			RT10W-L10-17C12S0E	RT10W Windows 10in Tablet / 8GB/128GB / WWAN / Standard/Indoor Screen / 6703SR Std Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L10-17C12S1E	RT10W Windows 10in Tablet / 8GB/128GB / WWAN / Outdoor Screen / 6703SR Std Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L10-18C12E0E	RT10W Windows 10in Tablet / 8GB/128GB / WWAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Extended Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L10-18C12S0E	RT10W Windows 10in Tablet / 8GB/128GB / WWAN / Standard/Indoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
			RT10W-L10-18C12S1E	RT10W Windows 10in Tablet / 8GB/128GB / WWAN / Outdoor Screen / 6803FR Flex Range Imager / Front & Rear Cameras / Standard Battery / Power Supply (order power cord separately) / Win 10 2019 / 802.11abgn,ac / Bluetooth / Worldwide Mode
		ScanPal EDA61k	EDA61K-0AC934PEOK	EDA61K, Alpha-numeric Keypad, WLAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
				camera, Android GMS, Extended battery, hot swap, SCP prelicensed, EU
			EDA61K-0AC934PGOK	EDA61K, Alpha-numeric Keypad, WLAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
			EDA61K-0AUB34PEOK	EDA61K, Alpha-numeric Keypad, WLAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android GMS, Extended battery, hot swap, SCP prelicensed, EU
			EDA61K-0AUB34PGOK	EDA61K, Alpha -numeric Keypad, WLAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
			EDA61K-0NC934PEOK	EDA61K, Numeric Keypad, WLAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP camera, Android 9 GMS, Extended battery, hot swap, SCP prelicensed, EU
			EDA61K-0NC934PGOK	EDA61K, Numeric Keypad, WLAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
			EDA61K-0NUB34PEOK	EDA61K, Numeric Keypad, WLAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android 9 GMS, Extended battery, hot swap, SCP prelicensed, EU
			EDA61K-0NUB34PGOK	EDA61K, Numeric Keypad, WLAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
			EDA61K-1AC934PEOK	EDA61K, Alpha-numeric Keypad, WWAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP camera, Android GMS, Extended battery, hot swap, SCP prelicensed, EU

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			EDA61K-1AC934PGOK	EDA61K, Alpha-numeric Keypad, WWAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
			EDA61K-1AUB34PEOK	EDA61K, Alpha-numeric Keypad, WWAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android GMS, Extended battery, hot swap, SCP prelicensed, EU
			EDA61K-1AUB34PGOK	EDA61K, Alpha -numeric Keypad, WWAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
			EDA61K-1NC934PEOK	EDA61K, Numeric Keypad, WWAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP camera, Android 9 GMS, Extended battery, hot swap, SCP prelicensed, EU
			EDA61K-1NC934PGOK	EDA61K, Numeric Keypad, WWAN, 3G/32G, N6703 scan engine, 4 inch WVGA, 13MP camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
			EDA61K-1NUB34PEOK	EDA61K, Numeric Keypad, WWAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android 9 GMS, Extended battery, hot swap, SCP prelicensed, EU
			EDA61K-1NUB34PGOK	EDA61K, Numeric Keypad, WWAN, 3G/32G, EX20 scan engine, 4 inch WVGA, No camera, Android GMS, Extended battery, hot swap, DCP preloaded, EU
		CK65 Mobile Computer	CK65-L0N-AMN210E	CK65,2GB/32GB Memory,Alphanumeric,EX20 Near/Far Range 2D Area Image, No Camera, SCP, GMS, ETSI/Worldwide
			CK65-L0N-ASN210E	CK65,2GB/32GB Memory,Alphanumeric,6703SR, No Camera, SCP, GMS, ETSI/Worldwide

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			CK65-LON-B8C214E	CK65,4GB/32GB Memory,Alphanumeric,6803 Gen8,Camera,SCP,GMS,Standard Environment, ,WW Mode
			CK65-LON-B8C215E	CK65,4GB/32GB Memory,Alphanumeric,6803 Gen8,Camera,SCP,GMS,Disinfectant Ready,WW Mode
			CK65-LON-BMC110E	CK65,4GB/32GB Memory,Alphanumeric,EX20 Near/Far Range 2D Area Image, Camera, SCP, NON-GMS, ETSI/Worldwide
			CK65-LON-BMC210E	CK65,4GB/32GB Memory,Alphanumeric,EX20 Near/Far Range 2D Area Image,Camera, SCP, GMS, ETSI/Worldwide
			CK65-LON-BSC210E	CK65,4GB/32GB Memory,Alphanumeric,6703SR, Camera, SCP, GMS, ETSI/Worldwide
			CK65-LON-CMN110E	CK65,2GB/32GB Memory, Numeric-F keys, EX20 Near/Far Range 2D Area Image, No Camera, SCP, NON-GMS,ETSI/Worldwide
			CK65-LON-CMN210E	CK65,2GB/32GB Memory, Numeric-F keys, EX20 Near/Far Range 2D Area Image, No Camera, SCP, GMS,ETSI/Worldwide
			CK65-LON-CSN110E	CK65,2GB/32GB Memory, Numeric-F keys, 6703SR, No Camera, SCP, NONGMS, ETSI/Worldwide
			CK65-LON-CSN210E	CK65,2GB/32GB Memory, Numeric-F keys, 6703SR, No Camera, SCP, GMS, ETSI/Worldwide
			CK65-LON-D8C214E	CK65,4GB/32GB Memory,Numeric-F keys,6803 Gen8,Camera,SCP,GMS,Standard Environment, ,WW Mode
			CK65-LON-D8C215E	CK65,4GB/32GB Memory,Numeric-F keys,6803 Gen8,Camera,SCP,GMS,Disinfectant Ready,WW Mode

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			CK65-L0N-DMC210E	CK65,4GB/32GB Memory, Numeric-F keys, EX20 Near/Far Range 2D Area Image, Camera, SCP, GMS, ETSI/Worldwide
			CK65-L0N-DSC210E	CK65,4GB/32GB Memory, Numeric-F keys, 6703SR, Camera, SCP, GMS, ETSI/Worldwide
			CK65-L0N-E8C214E	CK65,4GB/32GB Memory, Large Numeric, 6803 Gen8, Camera, SCP, GMS, Standard Environment, , WW Mode
			CK65-L0N-E8N212E	CK65,4GB/32GB Memory, Large Numeric, 6803 Gen8, No Camera, SCP, GMS, Cold Storage, , WW Mode
			CK65-L0N-ESN210E	CK65,2GB/32GB Memory, Large Numeric, 6703SR, No Camera, SCP, GMS, Standard Environment, WW Mode
		Thor™ VM1A	VM1A-L0N-1A1A20E	VM1A / Indoor Resistive / Android ML GMS / Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / ETSI
			VM1A-L0N-1A1B20E	VM1A / Indoor Resistive / Android ML non-GMS / Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / ETSI
			VM1A-L0N-1A4A20E	VM1A / Indoor Capacitive / Android ML GMS / Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / ETSI
			VM1A-L0N-1A6A20E	VM1A / Outdoor Capacitive / Android ML GMS / Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / ETSI
			VM1A-L0N-1A2A20E	VM1A / Defroster Resistive / Android ML GMS / Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / ETSI
		Thor™ VM3	VM3W2F3A1BE T04A1	Outdoor / 802.11a/b/g/n / Bluetooth / Ext WLAN Antenna Connections / 4G RAM / 64G Flash / UPS B / WIN7 English / ET

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
			VM3W2F1A1AE T04A1	Indoor / 802.11a/b/g/n / Bluetooth / Int WLAN Antenna Connections / 4G RAM / 64G Flash / UPS B / WIN7 English / ET
			VM3W2F3A1BE T1EA1	Outdoor / 802.11a/b/g/n / Bluetooth / Ext WLAN Antenna Connections / 4G RAM / 64G Flash / UPS B / WIN10ML / ET
			VM3W2F3A1BE T1HA1	Outdoor / 802.11a/b/g/n / Bluetooth / Ext WLAN Antenna Connections / 4G RAM / 64G Flash / UPSB / WIN10_2016_ML / ET
			VM3W2F3A2BE T1EA1	Outdoor / 802.11a/b/g/n / Bluetooth / GSM for data / GPS / Ext WLAN Antenna Connections / 4G RAM / 64G Flash / UPS B / WIN10ML / ET
			VM3W2F1A1AE T1EA1	Indoor / 802.11a/b/g/n / Bluetooth / Int WLAN Antenna Connections / 4G RAM / 64G Flash / UPS B / WIN10ML / ET
			VM3W2F1A1AE T01A1	Indoor / 802.11a/b/g/n / Bluetooth / Int WLAN Antenna Connections / 4G RAM / 64G Flash / UPS B / WES7 / ET
		Thor™ VM3A	VM3A-LON-1A1A20E	VM3A / Indoor Resistive / Android ML GMS / Device Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / Worldwide Mode
			VM3A-LON-1B1A20E	VM3A / Indoor Resistive / Android ML GMS / Device Client Pack / 4GB / 32GB / 802.11abgnac / External WLAN Antenna Connections / Bluetooth / Worldwide Mode
			VM3A-LON-1A3A20E	VM3A / Outdoor Resistive / Android ML GMS / Device Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / Worldwide Mode
			VM3A-LON-1A4A20E	VM3A / Indoor Capacitive / Android ML GMS / Device Client Pack / 4GB / 32GB / 802.11abgnac / Internal WLAN Antennas / Bluetooth / Worldwide Mode

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
		ScanPal EDA51	EDA51-0-B663SQGRK	EDA51 Android 10 with GMS,WLAN,802.11 a/b/g/n/ac, N6603 engine, 1.8 GHz 8 core, 4GB/64GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, ROW
			EDA51-0-B742SQGRK	HC,Android 10 with GMS,WLAN,802.11 a/b/g/n/ac, N3601 engine, 1.8 GHz 8 core, 2GB/32GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, White, Healthcare, Rest of world
			EDA51-1-B663SQGRK	EDA51 Android 10 with GMS,WWAN,802.11 a/b/g/n/ac, N6603 engine, 1.8 GHz 8 core, 4GB/64GB Memory, 13MP Camera, Bluetooth 4.2, NFC, Battery 4,000 mAh, USB Charger, ROW
		CT40XP	CT40P-L0N-27R11DE	CT40 XP Disinfectant Ready,WIFI,4G/32G,5'' 19201080P FHD,N6703 Standard Range Imager,13MP/8MP,802.11 a/b/g/n/ac/r/k/mc,22 MIMO,BT5.0 &2nd BLE,Android GMS,Smart Battery,Warm Swap,IP67&65,Metal battery latch button,PTT,Type C OTG,Audio jack,WW mode
			CT40P-L0N-28R11DE	CT40 XP Disinfectant Ready, WIFI, 4G/32G,5 inch 19201080P full HD,FlexRange,13MP/8MP,802.11 a/b/g/n/ac/r/k/mc,22 MIMO,BT5.0 &2nd BLE,Android GMS,Smart Battery,Warm Swap,IP67&65,Metal battery latch button,PTT, Type C OTG, Audio jack, WW mode
			CT40P-L1N-27R11DE	CT40 XP Disinfectant Ready, WWAN, 4G/32G,5 inch 19201080P full HD,N6703 Standard Range Imager,13MP/8MP,802.11 a/b/g/n/ac/r/k/mc,22 MIMO,BT5.0 &2nd BLE,Android

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.



LOB	Promo Code	Product Family	SKU	SKU description
				GMS,Smart Battery,Warm Swap,IP67&65,Metal battery latch button,PTT, Type C OTG, WW mode
			CT40P-L1N-28R11DE	CT40 XP Disinfectant Ready, WWAN, 4G/32G,5 inch 19201080P full HD, 6803 FlexRange Imager,13MP/8MP,802.11 a/b/g/n/ac/r/k/mc,22 MIMO,BT5.0 &2nd BLE,Android GMS,Smart Battery, Warm Swap,IP67&65,Metal battery latch button,PTT, Type C OTG, WW mode
		CT60XP	CT60-L1N-BFP21DE	CT60XP DRH, Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager N6803FR, 4GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Standard battery, Desinfectant Ready Housing, ETSI
			CT60-L1N-BRP21DE	CT60XP, DRH Android GMS, WWAN, 802.11 a/b/g/n/ac/r/k/mc, 1D/2D Imager N6703SR, 4GB/32GB Memory, 13MP Camera, BT 5.0, NFC, Standard battery, Desinfectant Ready Housing, ETSI

Honeywell Productivity Solutions and Services

Burgemeester Burgerslaan 40
5245 NH Rosmalen
The Netherlands
www.honeywell.com

H1 Honeywell Quick Demo Flyer |
© 2021 Honeywell International Inc.

